



320 Northpoint Parkway SE
 Suite B & C
 Acworth, GA 30102 USA
 Tel: 770-529-6800
 Fax: 770-529-6840
www.dmswireless.com

June 2008

OMNI DIRECTIONAL ANTENNA			
Wireless Broadband Base Station Antenna			
NLOS None Line of Site Applications			
2500 - 2686 MHZ			
Vertical Series	OM2506V	OM2509V	OM2512V
Electrical Data			
Gain (dBi)	6	9	12
Beamwidth (degrees)	25E	14F	7E
VSWR (typical)	1.5 or less	1.5 or less	1.5 or less
Rated Wind Velocity	210kmh/130mph	210kmh/130mph	210kmh/130mph
Maximum Power (watts)	100	100	100
Polarization	Vertical	Vertical	Vertical
Input Impedance	50 Ohms	50 Ohms	50 Ohms
PIM (dBm)	<-107	<-107	<-107
Physical Data			
Construction UV RES	Fiberglass	Fiberglass	Fiberglass
Connector Interface	Female N	Female N	Female N
Structure	One	One	One
	Element	Element	Element
Lightning Protection	Direct	Direct	Direct
	Ground	Ground	Ground
Fits Mast Size	1.57" - 2.75"	1.5" - 2.0"	1.5" - 2.0"
	40-70mm	40-70mm	40-70mm

Photos: Photos for OM Series - OMNI DIRECTIONAL ANTENNA

Photo may not be exact model.

Please note the construction, the materials and the mounting hardware are accurate in photos for all models, only size is different.

Specifications: Specifications subject to change without notice.

Any questions, please contact DMS WIRELESS

<http://www.dmswireless.com>

wireless@dmswireless.com

All products FCA Warehouse, Acworth, GA 30102 USA

One year warranty: Repair or replacement, no freight included.

Contact DMS WIRELESS for RMA.

No returns accepted without RMA.