



320 Northpoint Parkway SE
 Suite B & C
 Acworth, GA 30102 USA
 Tel: 770-529-6800
 Fax: 770-529-6840
www.dmswireless.com

October 2009

PANEL DIRECTIONAL ANTENNA		Wireless Broadband Sector Base Station Antenna		
5725 - 5850 MHz				
	PA579014V	PA579016V	PA579017V	
Electrical Data				
Gain (dBi)	14	16	17	
Beamwidth (degrees)	H90V13	H90V8.5	H90V7	
Front to Back Ratio (dB)	>23	>23	>23	
VSWR (typical)	1.5 or less	1.5 or less	1.5 or less	
Rated Wind Velocity	210kmh/130mph	210kmh/130mph	210kmh/130mph	
Maximum Power (watts)	250	250	250	
Polarization	Vertical	Vertical	Vertical	
Input Impedance	50 Ohms	50 Ohms	50 Ohms	
PIM (dBm)	<-107	<-107	<-107	
Physical Data				
Construction	Air Dielectric	Air Dielectric	Air Dielectric	
Radiation Element	Copper	Copper	Copper	
Radome Material	UV Res. Fiberglass	UV Res. Fiberglass	UV Res. Fiberglass	
Mounting Hardware	S/S Tilt Brackets	S/S Tilt Brackets	S/S Tilt Brackets	
Connector Interface	Female N	Female N	Female N	
Structure	One Panel	One Panel	One Panel	
Lightning Protection	Direct Ground	Direct Ground	Direct Ground	
Fits Mast Size	1.57" - 2.36"	1.57" - 2.36"	1.57" - 2.36"	
	40-60 mm	40-60 mm	40-60 mm	

Photos: Photos for PA Series - PANEL DIRECTIONAL ANTENNA

Photo may not be exact model.

Please note the construction, the materials and the mounting hardware are accurate in photos for all models, only size is different.

Specifications: Specifications subject to change without notice.

Any questions, please contact DMS WIRELESS

<http://www.dmswireless.com>

wireless@dmswireless.com

All products FCA Warehouse, Acworth, GA 30102 USA

One year warranty: Repair or replacement, no freight included.

Contact DMS WIRELESS for RMA.

No returns accepted without RMA.